

SUN PROTECTION

BRUSTOR[®]
OUTDOOR SUN SYSTEMS







Scan the QR code for our
Outdoor Living brochure.

CONTENTS

De Bruster guarantee	4
Types of sun protection	6
Why choose retractable awnings?	8
Retractable awnings	10
Screens	38
Conservatory awnings	56
Pergolas	70
Features and options	80
Fabric	82



BRUSTOR GUARANTEES AN EXCEPTIONAL FINISHING

Brustor's **timeless design** complements every style, whether you're in the countryside or an ultra-modern newbuild, a house or a flat. Brustor stands for **durability and stylish comfort**.

Our wide range of options and additional features also ensure that you can personalise your sun protection solution down to the last detail. That's the Brustor guarantee.

Dive in and get inspired by our brochure.





WE CREATE DAZZLING SHADING SOLUTIONS



On those sun-drenched days, nothing beats basking on your own patio or balcony under a Brustor awning. Create a shady haven to relax and kick back in with the flick of a wrist – or the push of a button.

And indoors? The sun's hot rays are kept at bay so you can make the most of your comfortable home – a comfortable home complemented by your aesthetic Brustor sun protection system.

OUR WARRANTIES, YOUR COMFORT

- A 5-year general warranty on housing, parts and poles.
- 5 years on motors and controls
- 10 years on the awning's moving parts
- 2 years on LED lighting and heating



RETRACTABLE AWNINGS

Retractable awnings are the solution for making your patio or balcony shady and keeping the sun's sharp rays out. Whatever your style or need, whether it's a flat, shop, or house – Brustor makes it happen. Our awnings are a snap to install, easy to operate, and built to stand the test of time.

Page 10



SCREENS

Screens are a must for keeping the sun out on hot days, maintaining comfort indoors, and reducing glare. And their smooth, flat finish adds a stylish touch to your home. Did you know solar-powered screens are available? How about indoor screens? Keep reading for inspiration!

Page 38



CONSERVATORY AWNINGS

On a sunny day, temperatures can quickly become unbearable in verandas, conservatories, or skylight-lit rooms. Conservatory awnings with a tight sun protection fabric help prevent your space from getting too toasty. Stylish and easy to install, our conservatory awnings can be installed on any building with glass features.

Page 56



PERGOLA

Enjoy a panoramic view of the garden and plenty of natural light in your home with a pergola in your style. Pergolas combine all the benefits of an awning with those of a patio cover.



4 TYPES OF SUN PROTECTION

FOUR SEASONS ENJOYMENT

A pergola, retractable awning, or conservatory awning - Brustor lets you revel in the sun from the comfort of shade, whatever your sun protection solution. From early spring through late autumn, your patio or veranda becomes the perfect outdoor space for fun and relaxation. Shielded from the sun and in keeping with your home, this is the life!



WHY CHOOSE RETRACTABLE AWNINGS?

3 REASONS



1. A TASTE OF THE GOOD LIFE

Awnings ensure that your patio or balcony is the place to be on a gorgeous day. Beneath the cool shade of your awning, you can enjoy your garden to the fullest, even during those summer heat waves.



2. A PLEASANT INDOOR CLIMATE

Retractable awnings keep the temperature indoors comfortable on sunny days. The perfect sunshine and shade on your terrace? Sure! But when you step inside, it's still pleasant, fresh, and cool.



3. THE ULTIMATE PERSONALISATION

Every Brustor awning is made-to-measure. With retractable awnings available in various designs and configurations, your home is protected in style. And our wide range of colours, fabrics, finishes and add-on features guarantee a vibe and look that's you.





RETRACTABLE AWNINGS

SUN PROTECTION FOR BALCONIES AND PATIOS

B24 Page 16

B25 Page 18

B27 Page 20

B35 Page 26

B38 Page 28

B50 Page 32

B50S Page 34

B50XL Page 36

YOUR HOME'S PERFECT AWNING

PERFECT SHADE

Retractable awnings help keep out the sun on hot days and preserve plenty of light and warmth when the days get shorter and temperatures drop.

MADE TO MEASURE

Every retractable awning is made to measure and comes in various designs and configurations.

USER-FRIENDLY

Brustor awnings are equipped with a Somfy motor. Remote-control or smartphone operated, they're a breeze to use.



STANDARD



2 inox steel cables

COMPATIBILITY

B25, B27, B50, B50 S

WIND RESISTANCE

up to 39 km/h (5 Beaufort)

MAXIMUM PROJECTION

3 m

LED LIGHTING

optional LED under the housing



ELITE



4 inox steel cables

COMPATIBILITY

B24 E, B25 E, B27 E, B35, B38, B50 XL

WIND RESISTANCE

up to 39 km/h (5 Beaufort)

MAXIMUM PROJECTION

4 m

LED LIGHTING

optional LED under the housing
optional LED strip along entire arm



PRESTIGE



4 inox steel cables

COMPATIBILITY

B24 P, B25 P, B27 P, B35, B38

WIND RESISTANCE

up to 49 km/h (6 Beaufort)


MAXIMUM PROJECTION

4 m


LED LIGHTING

optional LED under the housing
optional LED strip along entire arm
optional LED spotlights in elbow







B24 ELITE / PRESTIGE
wall mounting




B24 ELITE / PRESTIGE
ceiling mounting




B25
wall mounting




B25 ELITE / PRESTIGE
wall mounting




B25 ELITE / PRESTIGE VOLANT
wall mounting




B25
plafondmontage




B25 ELITE / PRESTIGE
ceiling mounting




B25 ELITE / PRESTIGE VOLANT
ceiling mounting




B27
wall mounting



B27
ceiling mounting



B27 ELITE / PRESTIGE
wall mounting



B27 ELITE / PRESTIGE
ceiling mounting

TYPE

STANDARD (5 BFT)

↔ DIMENSIONS (MIN - MAX)

➤ PROJECTION



ELITE (5 BFT)

↔ DIMENSIONS (MIN - MAX)

➤ PROJECTION



PRESTIGE (6 BFT)

↔ DIMENSIONS (MIN - MAX)

➤ PROJECTION


Prestige available in all
RAL colours.




B24



B25



B27



B25 STANDARD

B27 STANDARD

2,05 m - 14 m
coupled > 7 m

2,05 m - 14 m
coupled > 7 m

1,50 m / 2,00 m / 2,50 m / 3,00 m

1,50 m / 2,00 m / 2,50 m / 3,00 m

B24 ELITE

B25 ELITE

B27 ELITE

2,05 m - 14 m
coupled > 7 m

2,05 m - 14 m
coupled > 7 m

2,05 m - 14 m
coupled > 7 m

1,50 m / 2,00 m / 2,50 m / 3,00 m / 3,50 m / 3,75 m

1,50 m / 2,00 m / 2,50 m / 3,00 m / 3,50 m / 3,75 m

1,50 m / 2,00 m / 2,50 m / 3,00 m / 3,50 m / 3,75 m

B24 PRESTIGE

B25 PRESTIGE

B27 PRESTIGE

3,49 m - 14 m
coupled > 7 m

3,49 m - 14 m
coupled > 7 m

3,49 m - 14 m
coupled > 7 m

3,00 m / 3,50 m / 3,75 m

3,00 m / 3,50 m / 3,75 m


3,00 m / 3,50 m / 3,75 m

B24



ELEGANCY POWERFUL.

The B24 Elite and the B24 Prestige are the solution if you're looking for a rock-solid awning. Exceptionally robust and wind-resistant, their aluminium parts are also weather resistant, and the fabric quality is top-notch. Their timeless, elegant design complements every architectural style.





B25

THE ORIGINAL.

The B25 is the original Brustor solution and remains our most popular retractable awning. And the reason is clear. Its construction, design, and ease of use are unparalleled and timeless.



B27




A SLEEK, MODERN DESIGN




MODERN LIVING.

The B27 is designed for modern living. The awning box has a sleek, architectural design that integrates quickly and stylishly with your façade.



B25 VALANCE



OPTIMAL PROTECTION THANKS
TO THE B25 WITH OPTIONAL
MOTORISED VALANCE



TWINSTOR

Brustor's Twinstor sun protection system provides shade where you need it. A stand-alone structure, it can easily be set up anywhere in your garden or on your patio. What's more, the enclosed Housing ensures both fabric and operating mechanism with superior protection. To open and close your Twinstor quickly and easily, just use the remote control.

Stand-alone build with 2 B25 awnings (also available as B25 Elite)

An eye-catcher for any patio

Free-standing sun protection solution


100% enclosed retractable awnings




RETRACTABLE AWNING COLOURS




FRAME COLOURS




DIMENSIONS


 min. 2,05 m - max. 7 m

 standard 2,70 m in option up to 3 m


 projection: 2 x 2 m ot 2 x 2,50 m ot 2 x 3 m




B35
Type I



B35
Type K




B38
Type I




B38
Type K

TYPES

B35



B38



ELITE (5 BFT)

B35 ELITE

B38 ELITE

↔ DIMENSIONS (MIN - MAX)

2,05 m - 15 m
coupled > 7,50 m

2,05 m - 6 m

→ PROJECTION

1,50 m / 2,00 m / 2,50 m / 3,00 m / 3,50 m / 4,00 m

1,50 m / 2,00 m / 2,50 m / 3,00 m / 3,50 m

RAL
9016

RAL
9001

ANO
20 µm

RAL
7016 ST

RAL
9005 ST



PRESTIGE (6 BFT)

B35 PRESTIGE

B38 PRESTIGE

↔ DIMENSIONS (MIN - MAX)

3,53 m - 15 m
coupled > 7,50 m

3,53 m - 6 m

→ PROJECTION

3,00 m / 3,50 m / 4,00 m

3,00 m / 3,50 m

Prestige available in all
RAL colours.





LARGE, LARGER, LARGEST.

Brustor's wide, wind resistant B35 awning has a projection of up to 4 metres, and its fabric can be produced in a single cut up to 15 metres long. The B35's sturdy, durable design makes it exceptionally stable and wind-resistant, ideal for use in catering industry.





BISTRO
L'ECHIQUIER

B35

OPTIMAL PROTECTION
AGAINST LOW SUN THANKS TO
MOTORISED VALANCE









LOW SUN, HIGH COMFORT.

Could your southwest-facing home do with more shade? Or would you like a little more privacy? The B38 retractable awning's drop-down valance offers excellent protection against the low sun (...and nosey neighbours).



B38






TYPE

STANDARD (5 BFT)

↔ DIMENSIONS (MIN - MAX)


→ PROJECTION




ELITE (5 BFT)

↔ DIMENSIONS (MIN - MAX)

→ PROJECTION




B50



2,05 m - 5,50 m

1,50 m / 2,00 m / 2,50 m / 3,00 m


B50 S



2,05 m - 5,50 m

1,50 m / 2,00 m / 2,50 m / 3,00 m

B50 XL



2,05 m - 6 m

1,50 m / 2,00 m / 2,50 m / 3,00 m / 3,50 m



B50

A COMPACT EYECATCHER.

The B50 is a compact retractable awning with a fully enclosed awning box, striking for its aesthetic look and technical ingenuity. It can be mounted to the ceiling and walls.





B50 S

PERFECTLY UNDER CONTROLE.

The B50S provides your patio with the right dose of shade while keeping your home bright and warm when temperatures drop. With a maximum projection of 3 metres and only two supports needed to mount this affordable screen to a wall or ceiling, it's the perfect solution for flats. A sleek, elegant design tops it all off. And optional lighting under the housing adds a flourish of ambience at night.



**THE ELEGANT LED
LIGHTING IN THE
HOUSING PROVIDES
EXTRA ATMOSPHERE**



B50 XL

MORE ENJOYMENT.

Our B50XL is an ultra-sturdy awning with a fully enclosed awning box and optional LED strip. That full enclosure provides the fabric and parts with superior wind and rain protection. The cast-iron strength of the B50 XL's housing and Elite arms make it an ideal solution for covered patios. However, what makes this awning a shoo-in is how simple it is to mount (wall or ceiling) with just two supports.







SCREENS

MAKING THE CLIMATE MORE COMFORTABLE AT HOME

B1085, B1100, B1350 ZIP Page 44

B1100 PRESTIGE Page 46

B1100, B1100 PRESTIGE & B1350 ZIP SOLAR Page 48

B1200 ZIP Page 50

CORNER SCREEN Page 52

INDOOR SCREEN Page 53

WINDBLOCKER Page 54

B2100 DROP ARM AWNING Page 55

SELECT YOUR BRUSTOR SCREEN

DIMENSIONS



0,80 - 3,60 m
coupled 1,60 - 7,20 m





max 1,80 m



6,50 m²
coupled: 13 m²



B1085 C B1085 SR
8,5 x 8,5 cm 8,5 x 8,5 cm





B1100 C ZIP / B1100 SR ZIP

0,80 - 4 m
coupled 1,60 - 7,20 m

max 3,50 m

14 m²
coupled: 25,20 m²

B1100 C B1100 SR
11 x 11 cm 11 x 11 cm




B1100 ZIP PRESTIGE

0,80 - 3,50 m

max 3,50 m

14 m²

11 x 11 cm




B1350 C ZIP

0,90 - 6 m

max 6 m

18 m²

13,5 x 13,5 cm




B1200 ZIP

0,80 - 5 m
coupled 1,60 - 7,20 m

max 3,50 m

12 m²

16,5 x 12 cm



SOLAR


CHARACTERISTICS



Wind, sun and insect protection



KLEUREN



FABRICS

Screendoek Sergé 600 (fibreglass)

Sergé 1%

Sergé 600 Solar / Lunar


Soltis 86

Soltis 92


Soltis Veozip

SIDE RAIL DIMENSIONS


ZIP Clips side rail
without screws



ZIP Screw side rail
with screws



ZIP Screw side rail with screws
for B1100 ZIP Prestige



SCREENS

INDOOR AND OUTDOOR SUN PROTECTION

Sun protection screens keep the heat out. Whether you have a new/build or are renovating, they are a perfect solution for homes with large windows and lots of glass. Plus, they're a fantastic solution for other applications. In addition to shade, screens offer a whole host of other advantages.

- Mosquitos and flies are kept at bay.
- Blackout fabric screens ensure a good night's sleep.
- ZIP screen technology helps your screens withstand strong winds.
- Operation is a snap. Just use your switch, remote control, or smartphone.
- Bruster screens can also be installed on the inside of your windows.

No power connection available? No worries. Choose our solar-powered outdoor solar screens. Bruster has the right solutions for every situation!





SELECT YOUR SCREEN

Brustor offers sun protection screens for every application. Keep reading for an overview of our solutions.

The choice, your way!



B1085
B1100
B1350
ZIP



KEEP THE SUN OUT.

Sun protection ZIP screens provide your home with perfect light and climate control. And with the unique zip system that keeps the fabric consistently smooth and flat, they are also incredibly stylish. Need more privacy? Sergé 600 1% privacy fabric keeps prying eyes out without impeding your view. That's significantly more advantageous than shutters.





B1100
ZIP
PRESTIGE

PURE ELEGANCE.

The wind-resistant B1100 ZIP Prestige screen ensures perfect protection against sun and insects.

Thanks to the unique zip closure, the screen always remains securely in the rails.


The lead rail disappears partially into the screen's elegant, square Housing, making it Brustor's most compact screen. Removing the roller tube to replace the fabric or motor is easy with the patented integrated motor wiring system.

And retracting the screen? A flexible PVC profile allows the fabric to roll up smoothly and neatly.



All RAL colors included

THE B1100 ZIP PRESTIGE'S LEAD RAIL DISAPPEARS PARTIALLY INTO ITS HOUSING, MAKING IT THE BRUSTOR SCREEN WITH THE SMALLEST HOUSING HEIGHT.





B1100 ZIP

B1350 ZIP

B1100 ZIP PRESTIGE

SOLAR

ECO-FRIENDLY SUN PROTECTION.

Solar-powered ZIP screens are a sustainable, eco-friendly solution. This wind-resistant sun protection is also perfect for locations without an available power supply. Even north-facing façades benefit with a battery that ensures you've always got enough power. And because no wiring is required, there's no demolition work to worry about. That's a relief for installing screens at height.




**ALWAYS ENOUGH
POWER, EVEN ON
NORTH-FACING
FAÇADES**

B1200 ZIP



THE BUILT-IN SCREEN.

The B1200 ZIP screen is the ideal sun protection solution for homes with large glass windows or partitions. The screens block the sun's rays before they reach the glass, ensuring that it never gets uncomfortably warm inside. They also reduce glare on your TV or computer screen without diminishing your outside view. In short, these sun protection screens increase your home's comfort and energy efficiency, rendering air conditioning redundant.



- Designed for new builds
- Screen housing and side rails suitable for flush mounting
- Lead rail disappears into screen Housing
- Screen to be co-installed with windows
- Easy access to roller tube and fabric

CORNERSCREEN

FOR CORNER WINDOWS



Brustor corner screens are specially designed for glass windows that meet at a right angle. The streamlined profile ensures a clear outside view, and the screens ascend and descend simultaneously, ensuring an even distribution of shade in your living space. The corner screen's straight, rectangular awning box makes it perfectly compatible with other Brustor screens.

COLOURS



RAL
9016



RAL
9001



ANO
20 µm



RAL
7016 ST



RAL
8019



OPTION

SPECIFICATIONS B1100 C ZIP CORNER SCREEN



up to 4 m (6 m total of both screens)



up to 3 m



INDOOR SCREEN


THE ULTIMATE IN INDOOR SUN PROTECTION



Brustor's indoor screens boast a sleek design and are discreetly installed in a recess. You retain a grand view of your garden while keeping the gaze of prying eyes out. By selecting projector fabric, you can project your favourite films on the screen with a beamer and create your own home theatre. That's practical and fun!

- Ideal solution for large glass windows up to 18 m²
- Elegant and functional
- For indoor use

COLOURS



SPECIFICATIONS

	0,80 m - 6 m (cannot be coupled)
	max. 6 m
	18 m ²
	Screen fabric (Sergé 600), Soltis 86 - Soltis 92 - Blockout Lunar (blackout) - Veozip

WINDBLOCKER

WIND PROTECTION AND PRIVACY



Keen to fend off the wind and nosy glances and create more shade? Meet the Windblocker! The taut screen can be mounted to a wall or pole. This side awning blocks wind, but it's also a convenient barrier for keeping children or pets safe on your patio. Made of high-quality, durable material, it offers premium sun and wind protection. You've got years of carefree protection to look forward to.

- Easy to operate by hand
- Wall or pole fixation

COLOURS



SPECIFICATIONS



2 m - 3 m - 4 m



Acryl fabric: from 1,27 m to 2 m

Soltis 86 fabric: from 1,27 m to 1,86 m



B2100

SUN PROTECTIONS FOR SHOP FRONTS



The storm-proof B2100 drop-arm awning is perfect for shops. It protects your shop front from the sun and prevents glare and product fading. The canvas completely disappears into the Housing, maximising outside views. You can also have these awnings printed with your logo or business name. Further personalisation? Choose from a wide range of sun protection fabrics and colours.

COLOURS



SPECIFICATIONS

	0,65 m - 5 m (coupled up to 6 m)
	0,80 m - 1 m - 1,20 m - 1,40 m
	up to 90° or 135°
	12,80 cm x 13,20 cm
	Screen (Sergé), Soltis, Acryl fabric





CONSERVATORY AWNINGS

SUN PROTECTION FOR VERANDAS, CONSERVATORIES AND SKYLIGHTS

TOPSCREEN Page 58

B126 Page 60

B127 Page 62

B128 Page 64

B129 Page 66

TOPSCREEN



COMPACT CONSERVATORY AWNING.


Topscreen offers compact sun protection for horizontal and tilted windows, skylights, verandas and conservatories.

The ZIP screen technology's smart spring system keeps the fabric taut in any position, even in strong winds. Brustor's Topscreen meets the strictest European standards for wind resistance.

- Extreme wind resistance
- High-quality sun protection or blackout fabric



COLOURS




SPECIFICATIONS

	up to 3 m - coupled up to 6 m
	up to 3 m
	0 - 90 °
	Soltis 86 - Soltis 92 - Sergé 600 Solar / Lunar

SOLAR

Also available as a solar version.


Maximum dimensions: 3 x 3 m



FOR RECTANGULAR VERANDAS.





Say goodbye to swelteringly hot verandas. Keep the heat out with the B126 conservatory awning, the perfect solution for rectangular verandas, conservatories, and pitched glass surfaces. The B126 works with almost any structure. What's more, its patented sliding extension provides up to 1.25 m more shade.

Say yes to more!



COLOURS



SPECIFICATIONS	B126	B126 COUPLED
	max 5 m	max 10 m
	max 6 m	max 6 m
	19 m ²	38 m ²
	Soltis 86 - Soltis 92 - Acryl	

B126



B127



FITS ANY VERANDA.

The B127 allows you to control your veranda's temperature efficiently. As external sun protection, it prevents the sun's rays from ever reaching the glass. The B127's rails slide in or out, making it ideal for verandas with irregular shapes or bay windows with angled or rounded corners.

- motorised conservatory awning
- 1.25m extension
- ultimate flexibility



COLOURS



SPECIFICATIONS

	max 6 m
	max 5 m
	22 m ² (Acryl) - 19 m ² (Soltis 86) - 18 m ² (Soltis 92)
	Soltis 86 - Soltis 92 - Acryl

FOR LARGE VERANDAS.

The B128 conservatory awning is a streamlined, stylish solution for large surfaces. The supports mount directly on the veranda and can be mounted side by side if installing multiple units. The ingenious zip system ensures that the fabric remains securely taut in the side rails, making it exceptionally resistant to strong winds.




COLOURS



SPECIFICATIONS

	max 6 m
	max 5 m
	max 30 m ²
	Wide selection of fabrics



Zip screen technology's continuous tensioning keeps the canvas cover securely in the rails.




B128

B129

PERFECT SHADE

The B129 is an awning that provides optimal sun and heat protection for a veranda or glass patio roof. Choose a fabric from a wide range of options to match the B129 seamlessly with the architecture of your home. Thanks to ZIP technology the fabric will always remain perfectly taut between the guides. This ensures a very wind-resistant awning that does not let in any light between the fabric and the guides. In addition, you can also choose to add an LED strip in the cassette to create a cozy mood in the evening.





STRENGTHS & SPECIFICATIONS

SPECIFICATIONS

- Under glass blinds
- Retractable roof fabric with zip screen technology
- Compatible with all types of glass roofs
- Compact design with fine guides
- Easy operation via remote control or smartphone
- Optional LED lighting in the box

STRENGTHS

- Optimal protection against heat and sun
- Fabric not affected by weather conditions
- Prevents overlooking from above
- Always a taut fabric thanks to the continuous tension of the zipscreen technology
- Wide range of customization options





MAX. DIMENSIONS

6 x 5 m



STANDARD COLOURS

RAL
7016 ST

RAL
9016 ST



OPERATION

Somfy IO remote control




OPTIONS

Dimmable LED lighting

Wide range of fabrics





PERGOLA

SUN PROTECTION AND PERGOLA IN ONE



B128 PERGOLA Page 72

B128 P HORIZONTAL Page 76

B128

CLEAN & CUSTOMISED.

The Brustor B128 pergola is an incredibly versatile sun protection solution distinguished by its minimalist design and endless customisability. Expertly designed, this cover offers a panoramic view of the garden and plenty of natural light in your home. The B128 is always wall-mounted and combines the assets of an awning with those of a patio roof.





STRENGTHS & SPECIFICATIONS

SPECIFICATIONS

Minimalist aluminium patio with rainproof fabric

Retractable fabric roof with ZIP screen technology

Some overhang (up to 1/3 projection, 1 m maximum)

Compact poles and side rails measuring 80 x 80 mm

Optional: Motorised solar-powered valance + battery to 1 m long

Optional: ZIP screens & fixed side screens to fully enclose the B128 P

STRENGTHS

Panoramic view thanks to minimalist design

Always a tight fabric thanks to the continuous tension of zipscreen technology

Wide choice of personalisation options



B128



MAX. DIMENSIONS



6 x 5 m (without valance)



5 x 5 m (with valance)

Coupable across the width



STANDARD COLOURS

RAL
7016 ST

RAL
9016 ST



OPERATION

Somfy IO remote control



OPTIONS

Motorised, solar and battery-powered 1m valance

Adjustable pole support

Customizable ZIP screens

LED lightning in poles, side rails and support beam

Wall connection profile

HORIZONTAL

B128

HORIZONTAL SUN PROTECTION

Minimalism at its best and a horizontal fabric roof – that's what puts the B128 Pergola Horizontal Patio Cover a cut above. This pergola's sophisticated design also allows easy mounting for low-rise buildings, e.g. with low-pitch roofs or extensions. The shade cloth roof provides the perfect shade, allowing you to make the most of those sunny days outdoors.





BENEFITS & SPECIFICATIONS

SPECIFICATIONS

Minimalist aluminium patio cover offering sun protection only

Retractable fabric roof with ZIP screen technology

No minimum pitch requirement

Some overhang (up to 1/3 projection, 1 m maximum)

Compact poles and side rails measuring 80 x 80 mm

Optional: motorised, solar and battery-powered 1m valance


Optional zipscreen for more privacy

BENEFITS

Panoramic view thanks to minimalist design

The ZIP screen technology's balanced tension keeps the fabric smooth and flat in the side rails

Exhaustive choice of personalisation options



B128 P HORIZONTAL



MAX. DIMENSIONS



6 x 4 m (without valance)



5 x 4 m (with valance)

Extendable in width



STANDARD COLOURS

RAL
7016 ST

RAL
9016 ST



OPERATION

Somfy IO remote control



OPTIONS

Motorised solar-powered valance to 1 m long

Customisable ZIP screen

LED lighting in poles, side rails, and support beam



OPTIONS

PERSONALISE YOUR
SUN PROTECTION

Choose from a vibrant range of features for an awning with the ultimate personal touch and comfort.



PATIO HEATING

A heating element of 2000 W or 2200 W allows you to continue enjoying the outdoors long after summer is gone.



MOTORISED VALANCE



VALANCE

Add a valance at the front for more shade.



INTERMEDIATE ROLLER TUBE

Applicable for coupled screens.



LED UNDER HOUSING



LED IN HOUSING



OPERATION VIA SMARTPHONE



LED IN ENTIRE ARM



LED SPOT IN ELBOW

FABRICS

OVERVIEW OF CURRENT FABRICS

	ACRYLIC	POLYESTER	FIBREGLASS
COLLECTIONS	Dickson Orchestra Sattler Elements Solid 314 Sattler All-Weather Sattler Lumera Landscape	Soltis 86 Soltis 88 Soltis 92 Soltis 96 Veozip	Sergé 600 Sergé 1% Sergé 600 Solar / Lunar Blockout
MATERIAL	Woven in bulk 100% rot-resistant polycarbonate fibres.	Polyester textile fabric manufactured using Preconstraint Ferrari Technology	42% fibreglass + 58% PVC
BENEFITS	<ul style="list-style-type: none"> ✔ Water-repellent ✔ Low maintenance due to anti-rot, mildew and dirt treatment ✔ 100% colourfast ✔ 100% resistance to UV radiation (with UPF 50+ label) ✔ Visual comfort 	<ul style="list-style-type: none"> ✔ Water permeable ✔ Shape retention ✔ Colourfast ✔ Durable ✔ Easy to clean 	<ul style="list-style-type: none"> ✔ Shape retention ✔ Easy to clean ✔ Extremely wind and weather resistance ✔ Unimpeded view out, restricted view in ✔ Colourfast ✔ Impervious to heat and damp, mildew-resistant
SUITABLE FOR	Retractable awnings Projection awnings Conservatory awnings	Screens Projection awnings Conservatory awnings Retractable awnings valance	Screens

	B24 Elite	B24 Prestige	B25	B25 Elite	B25 Elite Valance	B25 Prestige	B25 Prestige Valance	B27	B27 Elite	B27 Prestige	B35 Elite	B35 Prestige	B38 Elite	B38 Prestige	B50	B50 S	B50 XL
100% closed box	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✘	✘	✘	✘	✔	✔	✔
Maximum width	7 m	7 m	7 m	7 m	6 m	7 m	6 m	7 m	7 m	7 m	7,5 m	7,5 m	6 m	6 m	5,5 m	5,5 m	6 m
Maximum width when coupled	14 m	14 m	14 m	14 m	✘	14 m	✘	14 m	14 m	14 m	15 m	15 m	✘	✘	✘	✘	✘
Maximum projection	3,75 m	3,75 m	3 m	3,75 m	3 m	3,75 m	3 m	3 m	3,75 m	3,75 m	4 m	4 m	3,5 m	3,5 m	3 m	3 m	3,5 m
Number of arms	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3	2 - 3 4 - 6	2 - 3	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3 4 - 6	2 - 3	2 - 3	2	2	2
Standard arms (2 cables)	✘	✘	✔	✘	✘	✘	✘	✔	✘	✘	✘	✘	✘	✘	✔	✔	✘
Elite arm (4 cables)	✔	✘	✘	✔	✔	✘	✘	✘	✔	✘	✔	✘	✔	✘	✘	✘	✔
Prestige arm (4 cables)	✘	✔	✘	✘	✘	✔	✔	✘	✘	✔	✘	✔	✘	✔	✘	✘	✘
Minimum inclination	5°	5°	5°	5°	5°	5°	5°	5°	5°	5°	5°	5°	8°	8°	5°	5°	5°
Maximum inclination	35°	35°	35°	35°	35°	35°	35°	35°	35°	35°	35°	35°	35°	35°	45°	45°	45°
Wall fixation	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
Ceiling fixation	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	✔	✔	✔
Standard number of RAL colours	5	all	5	5	5	all	all	5	5	all	5	all	5	all	5	4	5
Somfy motor for io	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
Somfy io motor with manual override	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	✘	✘	✘
Hand cranked (manual)	⊕	✘	⊕	⊕	✘	✘	✘	⊕	⊕	✘	⊕	✘	✘	✘	⊕	✘	✘
Led strip under box	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	✘	✘	✘
Led strip in box	✘	✘	✘	✘	✘	✘	✘	✘	✘	✘	✘	✘	✘	✘	✘	⊕	⊕
Led strip in arms	⊕	⊕	✘	⊕	⊕	⊕	⊕	✘	⊕	⊕	⊕	⊕	⊕	⊕	✘	✘	⊕
Led spot in elbow	✘	⊕	✘	✘	✘	⊕	⊕	✘	✘	⊕	✘	⊕	✘	⊕	✘	✘	✘
Motorised valance	✘	✘	✘	✘	✔	✘	✔	✘	✘	✘	✘	✘	✔	✔	✘	✘	✘
Valance	⊕	⊕	⊕	⊕	✘	⊕	✘	⊕	⊕	⊕	⊕	⊕	✘	✘	⊕	⊕	⊕

Legend: ✔ standard / ⊕ option / ✘ not possible

BRUSTOR®

OUTDOOR SUN SYSTEMS

Muizelstraat 20 | 8560 Gullegem | Belgium

T +32 (0)56 53 18 53 | info@brustor.com

www.brustor.com



Outdoor Living



Awnings



Conservatory awnings



Screens